




ASD OPEN TYPE Tête plate / Dome head



Aluminium / Aluminium



Acier / Steel



Ø mm	Ref	L mm	D ₂ mm	G (min-max)		N	N
				mm	mm		
2.4	ASD2404	4.0	5.0	0.5-2.0		2.5	314
	ASD2406	6.0		2.0-4.0			
	ASD2408	8.0		4.0-6.0			
	ASD2410	10.0		6.0-8.0			
	ASD2412	12.0		8.0-10.0			
3.0	ASD3004	4.0	6.5	0.5-1.5		3.1	620
	ASD3006	6.0		1.5-3.5			
	ASD3008	8.0		3.5-5.5			
	ASD3010	10.0		5.5-7.0			
	ASD3012	12.0		7.0-9.0			
	ASD3014	14.0		9.0-11.0			
	ASD3016	16.0		11.0-13.0			
	ASD3018	18.0		13.0-15.0			
	ASD3020	20.0		15.0-17.0			
	ASD3206	6.0		1.5-3.5			
ASD3208	8.0	3.5-5.5					
ASD3210	10.0	5.5-7.0					
ASD3212	12.0	7.0-9.0					
ASD3214	14.0	9.0-11.0					
ASD3216	16.0	11.0-13.0					
ASD3218	18.0	13.0-15.0					
ASD3220	20.0	15.0-17.0					
ASD3225	25.0	17.0-22.0					
ASD4006	6.0	8.0	1.0-3.0		4.1	1 080	
ASD4007	7.0		2.0-4.0				
ASD4008	8.0		3.0-5.0				
ASD4010	10.0		5.0-6.5				

Ø mm	Ref	L mm	D ₂ mm	G (min-max)		N	N
				mm	mm		
4.0	ASD4012	12.0	8.0	6.5-8.5		4.1	1 080
	ASD4014	14.0		8.5-10.5			
	ASD4016	16.0		10.5-12.5			
	ASD4018	18.0		12.5-14.5			
	ASD4020	20.0		14.5-16.5			
	ASD4023	23.0		16.5-19.0			
	ASD4025	25.0		19.0-21.5			
	ASD4030	30.0		21.5-26.5			
	ASD4035	35.0		26.0-30.0			
	ASD4806	6.0		9.5	1.0-3.0		
ASD4808	8.0	3.0-4.5					
ASD4810	10.0	4.5-6.0					
ASD4812	12.0	6.0-8.0					
ASD4814	14.0	8.0-10.0					
ASD4816	16.0	10.0-12.0					
ASD4818	18.0	12.0-14.0					
ASD4820	20.0	14.0-16.0					
ASD4822	22.0	16.0-18.0					
ASD4825	25.0	18.0-21.0					
ASD4830	30.0	23.0-25.0		2 230			
ASD4835	35.0	25.0-30.0					
ASD4840	40.0	30.0-35.0					
ASD4845	45.0	35.0-40.0					
ASD4850	50.0	40.0-45.0					
ASD4860	60.0	45.0-55.0					
ASD4870	70.0	55.0-65.0					
ASD4880	80.0	65.0-75.0					

Ø mm	Ref	L mm	D ₂ mm	G (min-max)		N	N
				mm	mm		
6.0	ASD6008	8.0	12.0	2.0-4.0		6.1	2 400
	ASD6010	10.0		4.0-6.0			
	ASD6012	12.0		6.0-8.0			
	ASD6016	16.0		9.0-11.0			
	ASD6018	18.0		11.0-13.0			
	ASD6022	22.0		13.0-16.0			
	ASD6026	26.0		16.0-20.0			
	ASD6030	30.0		20.0-25.0			
	ASD6035	35.0		24.0-29.0			
	ASD6410	10.0		12.7	2.0-4.0		
ASD6412	12.0	4.0-6.0					
ASD6415	15.0	6.0-9.0					
ASD6418	18.0	9.0-13.0					
ASD6422	22.0	13.0-16.0					
ASD6426	26.0	16.0-20.0					
ASD6430	30.0	20.0-24.0					
ASD6435	35.0	24.0-30.0					
ASD6440	40.0	30.0-35.0					




AND OPEN TYPE Tête plate / Dome head



Aluminium / Aluminium



Inox A2 / Stainless steel A2



Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
3.0	AND3006	6.0		1.5-3.5			
	AND3008	8.0	6.5	3.5-5.5	3.1	680	870
	AND3010	10.0		5.5-7.5			
3.2	AND3206	6.0		1.5-3.5			
	AND3208	8.0	6.5	3.5-5.5	3.3	760	1100
	AND3210	10.0		5.5-7.5			
	AND3212	12.0		7.5-9.5			

Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
4.0	AND4008	8.0		3.0-5.0			
	AND4010	10.0	8.0	5.0-7.0	4.1	1250	1800
	AND4012	12.0		7.0-9.0			
4.8	AND4810	10.0	9.5	4.5-6.5	4.9	1850	2600
	AND4812	12.0		6.5-8.5			
	AND4816	16.0		10.5-12.5			
	AND4820	20.0		14.5-16.5			












SD OPEN TYPE Tête plate / Dome head




 Acier / Steel

 Acier / Steel



Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
3.0	SD3006	6.0	6.5	1.5-3.0	3.1	950	1 125
	SD3008	8.0		3.0-5.0			
	SD3010	10.0		5.0-7.0			
	SD3012	12.0		7.0-9.0			
3.2	SD3206	6.0	6.5	1.5-3.0	3.3	1 100	1 200
	SD3208	8.0		3.0-5.0			
	SD3210	10.0		5.0-7.0			
	SD3212	12.0		7.0-9.0			
	SD3214	14.0		9.0-11.0			
	SD3216	16.0		11.0-13.0			
4.0	SD4006	6.0	8.0	0.5-2.5	4.1	1 700	2 200
	SD4008	8.0		2.5-4.5			
	SD4010	10.0		4.5-6.5			
	SD4012	12.0		6.5-8.5			

Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
4.0	SD4014	14.0	8.0	8.5-10.5	4.1	1 700	2 200
	SD4016	16.0		10.5-12.5			
	SD4018	18.0		12.5-14.5			
	SD4020	20.0		14.5-16.5			
4.8	SD4808	8.0	9.5	2.5-4.5	4.9	2 900	3 100
	SD4810	10.0		4.5-6.0			
	SD4812	12.0		6.0-8.0			
	SD4814	14.0		8.0-10.0			
	SD4816	16.0		10.0-11.5			
	SD4818	18.0		11.5-13.5			
	SD4820	20.0		13.5-15.0			
	SD4825	25.0		17.0-20.0			
	SD4830	30.0		20.0-25.0			

Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
6.0	SD6012	12.0	12.0	4.5-6.5	6.1	4 300	5 020
	SD6015	15.0		6.5-9.5			
	SD6018	18.0		9.5-12.5			
	SD6022	22.0		12.5-16.0			
	SD6026	26.0		16.0-19.0			
6.4	SD6412	12.0	12.7	3.0-6.0	6.5	4 900	5 700
	SD6415	15.0		6.0-9.0			
	SD6418	18.0		9.0-12.0			
	SD6422	22.0		12.0-16.0			
	SD6426	26.0		16.0-20.0			
	SD6430	30.0		20.0-24.0			












BTD OPEN TYPE Tête plate / Dome head




 **Inox A2 / Stainless steel A2**

 **Inox A2 / Stainless steel A2**



Ø	Ref	L	D ₁	G (min-max)			
mm		mm	mm	mm	mm	N	N
2.4	BTD2406	6.0	5.0	1.0-3.0	2.5	1100	1 500
	BTD3006	6.0	6.5	1.0-3.0			
	BTD3008	8.0		3.0-5.0			
	BTD3010	10.0		5.0-7.0			
	BTD3012	12.0		7.0-9.0			
3.0	BTD3206	6.0	6.5	1.0-3.0	3.1	1 800	2 200
	BTD3208	8.0		3.0-5.0			
	BTD3210	10.0		5.0-7.0			
	BTD3212	12.0		7.0-9.0			
	BTD3215	14.0		9.0-12.0			

Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
4.0	BTD4006	6.0	8.0	1.0-2.5	4.1	3 100	3 800
	BTD4008	8.0		2.5-4.5			
	BTD4010	10.0		4.5-6.5			
	BTD4012	12.0		6.5-9.5			
	BTD4016	16.0		9.5-12.0			
	BTD4018	18.0		12.0-14.0			
	BTD4020	20.0		14.0-16.0			
	BTD4608	8.0		9.5			
BTD4810	10.0	4.0-6.0					
BTD4812	12.0	6.0-8.0					
BTD4814	14.0	8.0-9.5					

Ø	Ref	L	D ₂	G (min-max)			
mm		mm	mm	mm	mm	N	N
4.8	BTD4816	16.0	9.5	9.5-11.0	4.9	4 500	6 000
	BTD4818	18.0		11.0-13.0			
	BTD4820	20.0		13.0-15.0			
	BTD4825	25.0		17.0-20.0			
	BTD4830	30.0		21.0-25.0			
6.4	BTD6412	12	12.7	4.0-6.0	6.5	6 500	8 850
	BTD6415	15		6.0-9.0			
	BTD6418	18		9.0-13.0			
	BTD6420	20		13.0-16.0			
	BTD6425	25		16.0-20.0			





CCD OPEN TYPE Tête plate / Dome head


 Cuivre / Copper

 Acier / Steel

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N		
					N	N	
3.0	CCD3006	6.0	6.5	1.0-3.0	3.1	600	700
	CCD3008	8.0		3.0-5.0			
	CCD3010	10.0		5.0-7.0			

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N	
					N	N
3.2	CCD3206	6.0	6.5	1.0-3.0	700	800
	CCD3208	8.0		3.0-5.0		
	CCD3210	10.0		5.0-7.0		

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N		
					N	N	
4.0	CCD4006	6.0	8.0	1.0-2.5	4.1	1 000	1 500
	CCD4008	8.0		2.5-4.0			
	CCD4010	10.0		4.0-6.0			
	CCD4012	12.0		6.0-8.0			



AWD OPEN TYPE Tête plate laquée blanc / Dome head painted in white color

 Aluminium / Aluminium

 Acier / Steel

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N		
					N	N	
3.2	AWD3206	6.0	6.5	1.5-3.5	3.3	760	990
	AWD3208	8.0		3.5-5.0			
	AWD3210	10.0		5.0-7.0			
	AWD3212	12.0		7.0-9.0			

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N		
					N	N	
4.0	AWD4008	8.0	8.0	4.0-5.0	4.1	1 080	1 580
	AWD4010	10.0		5.0-6.5			
	AWD4012	12.0		6.5-8.5			
	AWD4016	16.0		10.5-12.5			
	AWD4018	18.0		12.5-14.5			
	AWD4020	20.0		14.5-16.5			

Ø mm	Ref	L mm	D ₂ mm	G (min-max) mm	N		
					N	N	
4.0	AWD4810	10.0	9.5	4.5-6.0	4.9	1 580	2 230
	AWD4812	12.0		6.0-8.0			
	AWD4816	16.0		10.0-12.0			
	AWD4820	20.0		14.0-16.0			
	AWD4824	25.0		18.0-21.0			

